Restricted circulation



RAW MATERIAL SPECIFICATION				
Name of the Material	Novomix Brown 30077	Reference	In-House	
Code	2003929	Retest Period	1 Year	
Effective Date	27/11/2024	Review Period	3 Years	
Supersedes	10117012/1	STP No.	RMT/6006	
Storage Condition	Store in dry place, in well-closed container, away from direct light and heat.	Shelf Life	3 Years	
Inspection plan group No.	10117012	Inspection plan group counter	2	
CEP No	Not Applicable			

ACTIVITIES	DEPARTMENT	NAME	SIGNATURE	DATE
Prepared By	Formulation Development	Sweta Patel	Dal	13/11/2024
Reviewed By	Formulation Development	Bharani pareber	BSI	13/11/2024
Approved By	Quality	Singary Id	0>	20/11/24

Format No: CQA-019-F001-03 Page: 1 of 3

Restricted circulation



RAW MATERIAL SPECIFICATION			
Name of the Material Novomix Brown 30077	Inspection plan		
	Group No.	Group Counter	
	10117012	2	

Sr.No.	Test Parameter	Acceptance Criteria
1	Appearance	Brown powder.
2	Identification by IR	The IR spectrum of test sample should match with the reference spectrum supplied by the manufacturer.
3	Particle size (Done on wet slurry)	NLT 99.00 % w/w passes through 100 # ASTM sieve.
4	Tapped Density	Not more than 1.2 g/cc
5	Ash Content	Not more than 35 % w/w
	·	

Format No : CQA-019-F001-03

Page: 2 of

3

Restricted circulation



RAW MATERIAL SPECIFICATION			
Name of the Material Novomix Brown 30077	Inspection plan		
	Group No.	Group Counter	
	10117012	2	

GENERAL INFORMATION

- 1. Acceptable Containers: To be packed in LDPE poly bag kept in Fiber drum.
- 2. Handling Precaution: Use mask and gloves while handling of raw material.
- 3. Sampling procedure: Refer current version of SOP in sampling of raw material.
- 4. Sample Quantity:90 gm
- 5. Approved Manufacturer: As per approved vendor list.

Format No: CQA-019-F001-03 Page: 3 of 3



TITLE: CHANGE HISTORY CARD			
Reference SOP No.	QA-022	SOP Version No.	06

Name of Product: Novomix brown 30077

SR. NO.	DOCUMENT NO.	VERSION NO.	CHANGES MADE	REASON FOR CHANGE	CCF NO.	EFFECTIVE DATE
1.	10117012	1	New Specification	Not Applicable	Not Applicable	28/03/2022
2.	10117012	2	 Change in shelf life from 1 Year to 3 Years Change in Retest period from 6 Months to 1 Year 	Based on Vendor COA	CCF/TRC/2024/1848	27/11/2019

Prepared By (Initiator):	Approved By (Quality):	
Sign: The	Sign: 1 character	
Name: Bhavesh Pafel	Name: Joyesh Pales	
Date: 12/11/2024	Date: 27/11/2024	